Interference

| Ref<br># | Hits | Search Query   | DBs      | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|----------|---------------------|---------|------------------|
| L1 .     | 7    | (esd and circuit with (impedance resistance) with (smaller different)). clm. | US-PGPUB | OR                  | ON      | 2007/07/20 09:00 |

| Ref<br># | Hits | Search Query   | DBs   | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|--|---|---------------------|---------|------------------|
| S2       | 43   | esd and lcd near panel and (MOS FET MOSFET field near effect)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR .                | ON      | 2007/07/20 08:58 |
| S3       | 2    | "20020126430"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/08/18 12:13 |
| S4       | 7    | "6,678,133"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/08/18 12:13 |
| S5       | 21   | ("5218222"   "5293057"   "5336908"   "5430602"   "5581104"   "5654860"   "5656967"   "5721658"   "5744839"   "5767552"   "5805009"   "5880917"   "5889644"   "5982599"   "6004838"   "6040733"   "6130811"   "6137664"   "6181540"   "6204537"   "RE36024"). PN. | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR                  | ON      | 2005/08/18 12:13 |
| S6       | 1    | ("6678133").URPN.  | USPAT   | OR                  | ON      | 2005/08/18 12:22 |
| S7       | 5    | esd and (pad line terminal) and protect\$3 near device same impedance near (smaller higher)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/11/15 09:44 |
| S8       | 5    | esd and protect\$3 near device same impedance near (smaller higher)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/11/15 09:47 |
| S9       | 45   | esd and protect\$3 near device same impedance near (small\$3 high\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR                  | ON      | 2005/11/15 09:47 |

| S10 | 11 | esd and protect\$3 near device same impedance near3 (smaller higher)                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/15 10:04 |
|-----|----|--|---|----|----|------------------|
| S11 | 11 | esd and protect\$3 near device same impedance near3 (smaller higher larger)                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/15 10:06 |
| S12 | 52 | esd and protect\$3 near device same<br>(impedance resistance) near3 (smaller<br>higher larger)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/15 11:12 |
| S13 | 1  | esd and protect\$3 near device same (impedance resistance) near3 gradually near3 (increas\$3 decreas\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/15 11:12 |
| S14 | 18 | esd and (impedance resistance) near3 gradually near3 (increas\$3 decreas\$3)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/15 11:33 |
| S15 | 18 | esd and (impedance resistance) near4 gradually near3 (increas\$3 decreas\$3)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/15 11:33 |
| S16 | 18 | esd and (impedance resistance) near4 gradually near4 (increas\$3 decreas\$3)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/15 11:33 |
| S17 |    | esd and (impedance resistance) same gradually near3 (increas\$3 decreas\$3)                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/15 12:08 |

|     |       | · ,   |   |      | ,    |                  |
|-----|-------|---|---|------|------|------------------|
| S18 | 15    | "6,198,136"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON   | 2005/11/15 12:13 |
| S19 | 22069 | (esd (electrostatic adj discharge))                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2005/11/15 12:14 |
| S20 | 1375  | S19 same impedance                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2005/11/15 12:15 |
| S21 | 274   | S19 same pixel  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2005/11/15 12:16 |
| S22 | 4     | S21 same compensat\$5                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON . | 2005/11/15 12:18 |
| S23 | 343   | S19 same compensat\$5                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2005/11/15 12:18 |
| S24 | 142   | S23 same (size length dimension inductance capacitance) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2005/11/15 12:19 |
| S25 | 72    | S23 same (size length dimension )                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON   | 2005/11/15 14:53 |

| S26 | 429 | ocd and channel near width  | LIC-DCDLID-   | OB | CNI | 2005/44/45 44/52 |
|-----|-----|---|---|----|-----|------------------|
|     | 429 | esd and channel near width  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/11/15 14:53 |
| S27 | 133 | esd and channel near width same (impedance resistance)                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/11/15 14:54 |
| S28 | 1   | esd and channel near width same<br>(impedance resistance) same<br>gradually               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/11/15 14:54 |
| S29 | 30  | esd and channel near width same (impedance resistance) same (increase decrease)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/11/15 16:37 |
| S30 | 608 | 361/91.1.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/11/15 16:37 |
| S31 | 224 | esd and (lead wire) near (impedance resistance)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/11/16 09:27 |
| S32 | 0   | esd and (lead wire) near (impedance resistance) near compensat\$5                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/11/16 09:28 |
| S33 | 7   | esd and (lead wire) near (impedance resistance) near (compensat\$5 chang\$3 modificat\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/11/16 09:31 |

|     |     | LAST Scarci   | •   | ·       |      |                  |
|-----|-----|---|---|---------|------|------------------|
| S34 | 9   | esd and (lead wire connect\$3) near<br>(impedance resistance) near<br>(compensat\$5 chang\$3 modificat\$3)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON . | 2005/11/16 09:33 |
| S35 | 13  | esd and (lead wire connect\$3) near3<br>(impedance resistance) near<br>(compensat\$5 chang\$3 modificat\$3) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON   | 2005/11/16 09:34 |
| S36 | 35  | esd and (lead wire connect\$3) near3<br>(impedance resistance) near<br>(match\$5)                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON   | 2005/11/16 10:18 |
| S37 | `3  | ("4455586"   "4930644"   "5416660").<br>PN.   | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR      | ON   | 2005/11/16 09:46 |
| S38 | 0   | ("6847511").URPN.   | USPAT   | OR      | ON   | 2005/11/16 09:49 |
| S39 | 8   | esd and (lead wire connect\$3) near3<br>(impedance resistance) near<br>(match\$5) and channel near width    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON   | 2005/11/16 11:24 |
| S40 | 23  | esd and (lead wire connect\$3) with (impedance resistance) with (match\$5) and channel with width           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON   | 2005/11/16 16:18 |
| S41 | 145 | esd and Icd near panel  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR<br>, | ON   | 2005/11/16 14:18 |
| S42 | 7   | esd and (lead wire trace ) with (impedance resistance) with (match\$5) and channel with width               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR      | ON   | 2005/11/16 14:19 |
| S43 | 4   | ("4719369"   "5602494"   "6366129"  <br>"6642740").PN.  | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR .    | ON   | 2005/11/16 14:36 |

| S44 | 2383 | 361/56.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/16 16:18 |
|-----|------|--|---|----|----|------------------|
| S45 | 1377 | (esd (electrostatic adj discharge)) same impedance   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/17 09:18 |
| S46 | 175  | (esd (electrostatic adj discharge)) same impedance same (size length dimension)                        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/17 09:18 |
| S47 | 22   | (esd (electrostatic adj discharge)) same impedance same (size length dimension) with (lead wire trace) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/17 10:24 |
| S48 | 1745 | 361/111.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/17 10:25 |
| S49 | 1668 | 257/355.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/11/17 12:06 |
| S50 | 1    | 10/783,059   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/27 10:33 |
| S51 | 0    | esd and protect\$3 and channel near impedance near (larger smaller)                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/02/27 11:30 |

|     | <u> </u> |  |   |      |    |                  |
|-----|----------|--|---|------|----|------------------|
| S52 | 0        | esd and channel near impedance near (larger smaller) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/02/27 11:31 |
| S53 | 21       | esd and impedance near (larger smaller)              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR · | ON | 2007/02/27 11:42 |
| S54 | 1        | 10/633,544   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/02/27 11:47 |
| S55 | 4        | "6,066,916"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/02/27 11:49 |
| S56 | 14       | "6,153,913"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/02/27 11:49 |
| S57 | 35       | esd and diode with channel near (length width)       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/03/20 15:07 |
| S58 | 22       | esd and diode with channel near width                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/03/20 15:21 |
| S59 | 26       | esd and diode with channel with width                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/03/20 15:21 |

|     |     |  | 1   | ·  | ···· |                  |
|-----|-----|--|---|----|------|------------------|
| S60 | 881 | esd and channel with width   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/20 15:21 |
| S61 | 514 | esd and channel near width   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/20 15:21 |
| S62 | 22  | esd and diode with channel near width  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/20 15:22 |
| S63 | 0   | esd and diode with channel near width<br>near (wider larger)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/20 15:22 |
| S64 | 0   | esd and diode with channel with width<br>near (wider larger)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/20 15:23 |
| S65 | 16  | esd and channel with width near (wider larger)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/20 15:23 |
| S66 | 10  | ("5019001"   "5019002"   "5130829"  <br>"5220443"   "5373377"   "5384266"  <br>"5448095"   "5486716"   "5497146"  <br>"5504348").PN. | US-PGPUB;<br>USPAT;<br>USOCR                                      | OR | ON   | 2007/03/20 15:59 |
| S67 | 17  | ("5798534").URPN.  | USPAT   | OR | ON   | 2007/03/20 16:19 |
| S68 | 1   | 10/783,059   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/21 10:48 |

| S69 | 0   | esd and trace near length near compensat\$3               | US-PGPUB;<br>USPAT;   | OR | ON | 2007/03/21 10:49 |
|-----|-----|---|---|----|----|------------------|
|     |     | ·   | USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB                        |    |    |                  |
| S70 | 3   | esd and trace with length with compensat\$3               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/21 10:50 |
| S71 | 573 | esd and resistance with (larger wider)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/21 10:52 |
| S72 | 104 | esd and device with resistance with (larger wider)        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/21 10:52 |
| S73 | 93  | esd and device with resistance with larger                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/21 10:52 |
| S74 | 154 | esd and trace with length                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/21 10:53 |
| Ş75 | 3   | esd and trace with length with compensat\$3               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/21 10:53 |
| S76 | 31  | esd and trace with length with (different vary\$3 longer) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/21 10:57 |

| •   |      | •  | _   |      |    |                  |
|-----|------|--|---|------|----|------------------|
| S77 | . 0  | esd same trace with length with (different vary\$3 longer) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/03/21 10:54 |
| S78 | 18   | esd and trace with length with resistance                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/03/21 10:59 |
| S79 | 1    | esd same trace with length with resistance                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/03/21 11:03 |
| S80 | . 19 | "5,798,534"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/03/21 11:05 |
| S81 | 7    | "5,798,534" and resistance                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR . | ON | 2007/03/21 11:04 |
| S82 | 0    | "5,798,534" and resistance with (larger smaller)           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/03/21 11:05 |
| S83 | 786  | esd and resistance with (larger smaller)                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/03/21 11:06 |
| S84 | 271  | esd same resistance with (larger smaller)                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR   | ON | 2007/03/21 11:06 |

| S85 | 48 | esd same resistance near (larger smaller)     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/21 11:06 |
|-----|----|---|---|----|------|------------------|
| S86 | 35 | esd near9 resistance near (larger<br>smaller) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON . | 2007/03/21 11:42 |
| S87 | 38 | "5,497,146"                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/21 12:13 |
| S88 | 72 | esd and channel near width with resistance    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/21 12:13 |
| S89 | 7  | esd and channel near width near resistance    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/21 13:09 |
| S90 | 0  | "10633544"                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/21 13:10 |
| S91 | 1  | "10/633,544"                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/21 14:36 |
| S92 |    | 10/633,544                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/21 14:51 |

|     |      |  |   |    | ,    |                  |
|-----|------|--|---|----|------|------------------|
| S93 | 1    | 10/783,059   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/03/22 14:16 |
| S94 | 732  | 361/91.1.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/07/19 15:47 |
| S95 | 1866 | 361/111.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/07/19 17:08 |
| S96 | 7    | (esd and circuit with (impedance resistance) with (smaller different)). clm. | US-PGPUB  | OR | ON . | 2007/07/20 09:00 |
| S97 | 1951 | 257/355.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON   | 2007/07/20 09:16 |